



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

1 of 1

Disposable 3g TOP G

Sample ID: 2511AFL1969.7471

Strain: Skywalker OG

Matrix: Other

Type: Other

Unit Weight: 1 g

Internal Lab ID: ATL-33088

Received: 11/07/2025

Completed: 11/10/2025

Batch#: 1KSKY1

Client

Top G

Lic. #

1825 B NE 163 St north Miami Beach
Miami, FL 33162



Basic Potency

Complete

ND
Total THC

ND
Total CBD

90.676%
Total Cannabinoids

Analyte	LOD	LOQ	Result %	Result mg/unit	Analyte	LOD	LOQ	Result %	Result mg/unit
CBDVa	0.006	0.019	ND	ND	9S-HHC	0.009	0.026	25.916	259.16
CBDV	0.007	0.020	ND	ND	9R-HHC	0.009	0.026	36.571	365.71
CBDa	0.006	0.019	ND	ND	Δ9-THCH	0.007	0.021	ND	ND
CBGa	0.006	0.019	ND	ND	Δ8-THCH	0.007	0.021	ND	ND
CBG	0.007	0.020	ND	ND	Δ9-THCP	0.007	0.020	10.165	101.65
CBD	0.007	0.020	ND	ND	Δ8-THCP	0.007	0.021	ND	ND
THCV	0.007	0.020	ND	ND	Δ8-THCO	0.006	0.019	ND	ND
Δ8-THCV	0.007	0.021	ND	ND	Δ9-THCO	0.006	0.019	ND	ND
THCVA	0.006	0.019	ND	ND	9(S)-HHCP	0.007	0.021	1.736	17.36
CBN	0.007	0.020	0.671	6.71	9(R)-HHCP	0.007	0.021	4.020	40.20
Δ9-THC	0.007	0.020	ND	ND	11-Hydroxy-THC	0.007	0.021	ND	ND
Δ8-THC	0.007	0.020	11.597	115.97	1(S)-H4-CBD	0.007	0.022	ND	ND
(6aR,9S)-d10-THC	0.007	0.022	ND	ND	1(R)-H4-CBD	0.007	0.022	ND	ND
(6aR,9R)-d10-THC	0.007	0.022	ND	ND	Δ9-THCB	0.007	0.020	ND	ND
CBC	0.007	0.020	ND	ND	Δ8-THCB	0.007	0.021	ND	ND
CBCa	0.006	0.019	ND	ND	CBDp	0.007	0.022	ND	ND
THCa	0.006	0.019	ND	ND	Total			90.676	906.76

Document ID: COA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 11/10/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

ISO/IEC 17025:2017 Accreditation No. 118038

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Not Tested
Document ID:
Foreign Matter



Accreditation #118038

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Paulo Gonzalez
Laboratory Director
11/10/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

